

# FortiGate 2500E

FG-2500E



#### **Highlights**

#### **Gartner Magic Quadrant**

**Leader** for both Network Firewalls and SD-WAN.

#### Security-Driven

**Networking** FortiOS delivers converged networking and security.

#### **Unparalleled Performance**

with Fortinet's patented / SPU / vSPU processors.

#### **Enterprise Security**

with consolidated AI / ML-powered FortiGuard Services.

#### **Hyperscale Security**

to secure any edge at any scale.

### **High performance with flexibility**

The FortiGate 2500E Series enables organizations to build security-driven networks that can weave security deep into their datacenter and across their hybrid IT architecture to protect any edge at any scale.

Powered by a rich set of AI/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 2500E Series delivers coordinated, automated, end-to-end threat protection across all use cases.

The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 2500E automatically controls, verifies, and facilitates user access to applications delivering consistent convergence with a seamless user experience.

IPS	NGFW	Threat Protection	Interfaces
11.5 Gbps	9 Gbps	5.4 Gbps	Multiple GE RJ45, 10 GE SFP+ slots and Bypass 10 GE SFP+ ports



Available in



**Appliance** 



Virtual







Container

#### **FortiOS Everywhere**

#### FortiOS, Fortinet's advanced operating system

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/ ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

#### **FortiConverter Service**

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.





#### **FortiGuard Services**

#### FortiGuard AI-Powered Security

FortiGuard's rich suite of security services counter threats in real time using Al-powered, coordinated protection designed by FortiGuard Labs security threat researchers, engineers, and forensic specialists.

#### **Web Security**

Advanced cloud-delivered URL, DNS (Domain Name System), and Video Filtering providing complete protection for phishing and other web born attacks while meeting compliance.

Additionally, its dynamic inline CASB (Cloud Access Security Broker) service is focused on securing business SaaS data, while inline ZTNA traffic inspection and ZTNA posture check provide per-sessions access control to applications. It also integrates with the FortiClient Fabric Agent to extend protection to remote and mobile users.

#### **Content Security**

Advanced content security technologies enable the detection and prevention of known and unknown threats and file-based attack tactics in real-time. With capabilities like CPRL (Compact Pattern Recognition Language), AV, inline Sandbox, and lateral movement protection make it a complete solution to address ransomware, malware, and credential-based attacks.

#### **Device Security**

Advanced security technologies are optimized to monitor and protect IT, IIoT, and OT (Operational Technology) devices against vulnerability and device-based attack tactics. Its validated near-real-time IPS intelligence detects, and blocks known and zero-day threats, provides deep visibility and control into ICS/OT/SCADA protocols, and provides automated discovery, segmentation, and pattern identification-based policies.

#### Advanced Tools for SOC/NOC

Advanced NAC and SOC management tools attached to your NGFW provide simplified and faster time-to-activation.

#### SOC-as-a-Service

Includes tier-one hunting and automation, log location, 24×7 SOC analyst experts, managed firewall and endpoint functions, and alert triage.

#### **Fabric Rating Security Best Practices**

Includes supply chain virtual patching, up-to-date risk and vulnerability data to deliver quicker business decisions, and remediation for data breach situations.



### **Secure Any Edge at Any Scale**

#### Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

#### **ASIC Advantage**



#### Network Processor 6 NP6

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing



#### Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing



#### **FortiCare Services**

Fortinet is dedicated to helping our customers succeed, and every year FortiCare Services help thousands of organizations get the most from our Fortinet Security Fabric solution. Our lifecycle portfolio offers Design, Deploy, Operate, Optimize, and Evolve services. Operate services offer device-level FortiCare Elite service with enhanced SLAs to meet our customer's operational and availability needs. In addition, our customized account-level services provide rapid incident resolution and offer proactive care to maximize the security and performance of Fortinet deployments.



#### **Use Cases**



#### **Next Generation Firewall (NGFW)**

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



#### Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks



#### Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing






#### Mobile Security for 4G, 5G, and IoT

- SPU-accelerated, high performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/ DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- RAN Access Security with highly scalable and highest-performing IPsec aggregation and control Security Gateway (SecGW)
- User plane security enabled by full threat protection and visibility into GTP-U inspection


#### **Datacenter Deployment** (NGFW, IPS, Segmentation)





#### **Hardware**


#### FortiGate 2500E Series



#### Interfaces

- 1. 1 x Console Port
- 2. 1 x USB Port
- 3. 2 x GE RJ45 Management Ports
- 4. 32 x GE RJ45 Ports
- **5.** 10 × 10 GE SFP+ Slots
- 6. 2 × 10 GE SFP+ SR (LC Connector, bypass)

#### **Hardware Features**





### **Specifications**

	FORTIGATE 2500E		
Interfaces and Modules			
Hardware Accelerated 10 GE SFP+ Slots	10 + 2 bypass		
Hardware Accelerated GE RJ45 Ports	32		
GE RJ45 Management / HA Ports	2		
USB Ports			
Console Port	1		
Internal Storage	1× 480 GB SSD		
Included Transceivers	2x SFP+ (SR 10GE)		
2 . 2			
System Performance — Enterprise Traffic Mi			
IPS Throughput <sup>2</sup>	11.5 Gbps		
NGFW Throughput 2,4	9 Gbps		
Threat Protection Throughput 2,5	5.4 Gbps		
System Performance and Capacity			
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	150 / 150 / 95 Gbps		
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	150 / 150 / 95 Gbps		
Firewall Latency (64 byte, UDP)	2.00 µs		
Firewall Throughput (Packet per Second)	145.5 Mpps		
Concurrent Sessions (TCP)	20 Million		
New Sessions/Second (TCP)	500 000		
Firewall Policies	100 000		
IPsec VPN Throughput (512 byte) 1	95 Gbps		
Gateway-to-Gateway IPsec VPN Tunnels	20 000		
Client-to-Gateway IPsec VPN Tunnels	100 000		
SSL-VPN Throughput	6 Gbps		
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	30 000		
SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup>	9.4 Gbps		
SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup>	5500		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup>	2 Million		
Application Control Throughput (HTTP 64K) <sup>2</sup>	20 Gbps		
CAPWAP Throughput (1444 byte, UDP)	21 Gbps		
Virtual Domains (Default / Maximum)	10 / 500		
Maximum Number of FortiSwitches Supported	196		
Maximum Number of FortiAPs (Total / Tunnel)	4096 / 2048		
Maximum Number of FortiTokens	20 000		
High Availability Configurations	Active-Active, Active-Passive, Clustering		

	FORTIGATE 2500E		
Dimensions and Power			
Height x Width x Length (inches)	3.5 × 17.4 × 21.9		
Height x Width x Length (mm)	88 × 442 × 555		
Weight	38.5 lbs (17.6 kg)		
Form Factor (supports EIA/non-EIA standards)	Rack Mount, 2 RU		
Power			
Power Input	100-240V AC, 50/60 Hz		
Maximum Current	9A		
Power Consumption (Average / Maximum)	312 W / 470 W		
Heat Dissipation	1604 BTU/h		
Redundant Power Supplies	Yes, Hot Swappable		
Operating Environment and Certifications			
Operating Temperature	32°-104°F (0°-40°C)		
Storage Temperature	-31°-158°F (-35°-70°C)		
Humidity	10%-90% non-condensing		
Noise Level	58 dBA		
Forced Airflow	Front to Back		
Operating Altitude	Up to 7400 ft (2250 m)		
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB		
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus SSL-VPN		

Note: All performance values are "up to" and vary depending on system configuration.



<sup>&</sup>lt;sup>1</sup> IPsec VPN performance test uses AES256-SHA256.

 $<sup>^{\</sup>rm 2}$  IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $<sup>^{\</sup>mbox{\tiny 3}}$  SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

 $<sup>^{\</sup>rm 4}$  NGFW performance is measured with Firewall, IPS and Application Control enabled.

<sup>&</sup>lt;sup>5</sup> Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

## **Ordering Information**

Product	SKU	Description
FortiGate 2500E	FG-2500E	10× 10 GE SFP+ slots, 2× 10 GE bypass SFP+ (LC Adapter), 34x GE RJ45 ports (including 32x ports, 2x management/HA ports), SPU NP6 and CP9 hardware accelerated, 480 GB SSD onboard storage.
Optional Accessories		
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ active direct attach cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-2000E, FG-2500E, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC, FG-3815D/-DC and FG-3950B/-DC.
AC Power Supply	SP-FG2000E-PS	AC power supply for FG-2000E and FG-2500E.



### **Subscriptions**

		A-la-carte	Bundles		
Service Category	Service Offering		Enterprise Protection	Unified Threat Protection	Advanced Threat Protection
Security Services	FortiGuard IPS Service	•	•	•	•
	FortiGuard Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
	FortiGuard Web Security — URL and web content, Video and Secure DNS Filtering	•	•	•	
	FortiGuard Anti-Spam		•	•	
	FortiGuard IoT Detection Service	•	•		
	FortiGuard Industrial Security Service	•	•		
	FortiCloud Al-based Inline Sandbox Service <sup>1</sup>	•			
NOC Services	FortiGate Cloud (SMB Logging + Cloud Management)	•			
	FortiGuard Security Fabric Rating & Compliance Monitoring Service	•	•		
	FortiConverter Service	•	•		
	FortiGuard SD-WAN Underlay Bandwidth and Quality Monitoring Service	•			
SOC Services	FortiAnalyzer Cloud	•			
	FortiAnalyzer Cloud with SOCaaS	•			
Hardware and Software Support	FortiCare Essentials	•			
	FortiCare Premium	•	•	•	•
	FortiCare Elite	•			
Base Services	FortiGuard Application Control				
	FortiCloud ZTNA Inline CASB Service <sup>1</sup>				
	Internet Service (SaaS) DB Updates	traducted with FootiOne Outperinting			
	GeoIP DB Updates		included with FortiCare Subscription		
	Device/OS Detection Signatures				
	Trusted Certificate DB Updates				
	DDNS (v4/v6) Service				

1. Available when running FortiOS 7.2



#### **FortiGuard Bundles**

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.


#### FortiCare Elite

FortiCare Elite services offers enhanced service-level agreements (SLAs) and accelerated issue resolution. This advanced support offering provides access to a dedicated support team. Single-touch ticket handling by the expert technical team streamlines resolution. This option also provides Extended End-of-Engineering-Support (EoE's) of 18 months for added flexibility and access to the new FortiCare Elite Portal. This intuitive portal provides a single unified view of device and security health.

#### **Fortinet CSR Policy**

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.







www.fortinet.com

Copyright © 2022 Fortinet, Inc. All rights reserved. Fortinet\*, FortiGate\*, FortiGate\*, FortiGate\*, and FortiGate\*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet discislams all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinets General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.